



透明夾製造封切機

# ***CLEAR HOLDER MAKING MACHINE***

***SDH-E310-D (Double Production Line)***

***SDH-E310-S (Single Production Line)***



## 透明夾製造封切機

# CLEAR HOLDER MAKING MACHINE

### 特性：

- 放料座採用氣壓式剎車張力控制器，確保原料張力之精密控制。
- 封口設備採用超音波溶接裝置，封口精美牢固。
- 出料結構採用伺服馬達驅動，尺寸設定精準。
- 放料部份採用對邊裝置 (EPC)，送料順暢。
- 多功能控制器，成品計數。
- 放料座附加自動送料張力輪。
- 成品出料部份附加靜電消除器，防止靜電產生。
- 沖模及裁切模具採特殊材質製成，韌性佳，使用壽命長。
- 成品集料配備自動成疊輸送台。
- 本機附加對折台，並具自動張力控制。
- 燙金裝置為選購配備。
- 毛邊捲取機。

### FEATURES:

- The unwinder is built with air brake tension controller for accurate tension control at all times.
- The sealing mechanism employs an ultrasonic welder for extremely secure sealing effect.
- The product outfeed mechanism is driven by a servomotor, providing superior positioning accuracy.
- Equipped with edge position controller for neat edge of film.
- The advanced versatile functions controller provides product counting.
- The unwinder is built with an automatic feed tension roller.
- Equipped with static electricity removing device, permitting for maximum smoothness of film infeed at high speed production.
- The punching and cutting molds are manufactured from special material, ensuring maximum durability and long service life.
- Product collection tank is equipped with an automatic stack conveyor table.
- Equipped with folding equipment featuring automatic tension control and length counting.
- Marking device is optional.
- Waste rewinder.



**SDH-E310-S**




## 集中式控制面板

本機各部動作可經由集中式控制面板操作，操控容易。

### **CENTRALIZED CONTROL PANEL**

All motions of the machine can be conveniently controlled from the centralized control panel.



封口裝置採用超音波溶接，封口極牢固。

The sealing device employs an ultrasonic welder for extremely secure and excellent sealing effect.

## 規格：SPECIFICATIONS:

型式	MODEL	SDH-E310-S	SDH-E310-D
切刀寬	Cutter Width	250 mm	250 mm x 2 Line
每分速度	Production capacity (pcs/min)	Max. : 90	Max. : 90 x 2 Line
封切厚度	Converting Thickness	0.12 ~ 0.25 mm	0.12 ~ 0.25 mm
主機動力	Main H/C Motor	1 HP	2 HP
超音波	Ultrasonic welder	15 K/Hz ~ 2600W	15 K/Hz ~ 2600W x 2 sets
全台備電	Power required	5 KW	7.5 KW
機械尺寸	Machine Dimensions (L x W x H)	750 x 170 x 180 cm	750 x 270 x 180 cm
機械重量	Machine Weight	2300 kg	2700 kg
裝箱尺寸	Packing Dimensions (L x W x H)	560 x 170 x 226 cm	560 x 227 x 226 cm
裝箱重量	Packing Weight	2750 kgs	3150 kgs

●To ensure technological excellence, specifications are subject to change without notice.

●由於不斷研究、發展、設計變更，恕不另行通知。



世岱工業股份有限公司

S-DAI INDUSTRIAL CO., LTD.